

MULTIFUNCTIONAL FLOOD LIGHT





* LIGHT ENGINE CAN BE Used as a power bank

The Solera Solar Lighting Multifunctional Flood Light features a flexible design, the light engine can be used separately or connected to the solar panel.

- Perfect for transit stops, schools and garages.
- Three operating modes

CONSTANT BRIGHTNESS Used when light engine is not connected with the solar panel. Can be set at 30% or 100% brightness.

TIMER The light engine can be set to a timer and will turn off when that time passes.

MOTION SENSING Used when light engine is connected to the solar panel. Automatically turns on to 100% when motion is detected (within 18 ft.) and then turns to 5% when no motion is detected.

- Comparable to 70W HID.
- ✤ 9'10" cable between panel and light engine.
- PIR Sensor included.
- Battery indicator shows when the battery is at 25%, 50%, 75% and 100%.
- Li-Ion battery lasts at least 1500 charge cycles and is replaceable.

A A A A A A A A A A A A A A A A A A A	8-9 HRS	32°F TO 140°F	UP TO 24 HRS		y gno		то 140°F	₽F	
.485.	BATTERY CHARGE TIME	BATTERY CHARGE TEMP	BATTERY LIFE	REPLACEABLE BATTERY	BEAM ANGLE	OPERAT	TING TEMP	50,000hrs RATED LIFE	
PART #	UPC	COMPARES TO	LUMENS	COLOR	DIMENSIONS		LISTI	NGS	
SL-SMFL-10W-40K-BK-G1	844006079840	70W HID	1100	4000K	9.1" x 6.5" (LIGHT) 13.6" x 9.3" (PANEL)		CEF©		
OPERATING MODES 🔆 CONSTANT BRIGHTNESS 🕒 TIMER 🛠 MOTION SENSING									

Light Efficient Design

847.380.3540 • led-llc.com • sales@led-llc.com

